

Pontoon Compliance.

Air berth and Plastic Drive on.



All Floating pontoons are required to be fitted with mooring equipment equivalent to that of boat mooring equipment. (Please see next page) the pontoon will act as the vessel in the pen.

As a guide, please follow the mandatory requirements.

- Bow weights and chains (Stubbers on jetty 2) fitted with accordance with the specified sizes of the pontoon.
- All ropes attached to the pontoon are to be spliced.
- Stern springers are required.


Pontoon Pump Equipment

All pontoon equipment cabinets are to be erected on a permanent support bracket that must be designed and submitted to the office for approval before manufacture.

Tying with rope or cable ties to existing jetty infrastructure is unacceptable.

Please contact the administration for clarification with any of the above.





ROPE SIZES

Pontoon under 10.00 metres	20mm	<input type="checkbox"/>
Pontoon 10.00-15.00 metres	22mm	<input type="checkbox"/>
Pontoon 15.00 metres and over	24mm	<input type="checkbox"/>

CHAIN SIZES

Pontoon under 10.00 metres	12mm	<input type="checkbox"/>
Pontoon over 10.00 metres	16mm	<input type="checkbox"/>

Fab Dock Compliance




It has been noted that in low tide periods attached ropes have been overly tight or are at incorrect length causing ropes to suspend the Fab Dock above the water level. All Fab Dock or similar pontoons are required to be fitted with compliant mooring equipment that does not place load on jetty infrastructure. (Please see next page) The vessel must be secured in the pen as per normal SYC Appendices.


As a guide, please follow the mandatory requirements.

Boats penned in a Fab Dock must have mooring ropes, chains and weights must be fitted with compliance to the club's bylaws.

- Bow weights and chains (Stubbers on jetty 2) fitted with accordance with the specified sizes of the pontoon.
- All ropes attached to the pontoon are to be spliced.
- Stern springers are required.

Please note, all cleaning of pontoons must be carried out in the slipway area.





ROPE SIZES

Pontoon under 10.00 metres	20mm	<input type="checkbox"/>
Pontoon 10.00-15.00 metres	22mm	<input type="checkbox"/>
Pontoon 15.00 metres and over	24mm	<input type="checkbox"/>

CHAIN SIZES

Pontoon under 10.00 metres	12mm	<input type="checkbox"/>
Pontoon over 10.00 metres	16mm	<input type="checkbox"/>